

HEALTH AND SAFETY POLICY

2024-2025

- This document has been approved for operation for-Islamiyah Girls High School
- Last Reviewed September 2024
- Next review July 2025
- Review Period 1 Year
- Owner Islamiyah Girls High School
- Approved By Governing Body

Contents

1. Aims
2. Legislation
3. Roles and responsibilities
4. Site security4
5. Fire
6. COSHH5
7. Equipment6
8. Lone working
9. Working at height
10. Manual handling
11. Off-site visits
12. Lettings8
13. Violence at work8
14. Smoking8
15. Occupational stress8
16. Accident reporting8
17. Training9
18. Monitoring9
19. Links with other policies9
Appendix 1. Fire safety checklist
Appendix 2. Accident report
Appendix 3. Asbestos record

1. Aims

- Our school aims to:
- Provide and maintain a safe and healthy environment
- Establish and maintain safe working procedures amongst staff, pupils and all visitors to the school site
- Have robust procedures in place in case of emergencies
- Ensure that the premises and equipment are maintained safely, and are regularly inspected

2. Legislation

This policy is based on advice from the Department for Education on health and safety in schools and the following legislation:

- The Health and Safety at Work etc. Act 1974, which sets out the general duties employers have towards employees and duties relating to lettings
- The Management of Health and Safety at Work Regulations 1992, which require employers to make an assessment of the risks to the health and safety of their employees
- The Management of Health and Safety at Work Regulations 1999, which require employers to carry out risk assessments, make arrangements to implement necessary measures, and arrange for appropriate information and training
- The Control of Substances Hazardous to Health Regulations 2002, which require employers to control substances that are hazardous to health
- The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR) 2013, which state
 that some accidents must be reported to the Health and Safety Executive and set out the timeframe for
 this and how long records of such accidents must be kept
- The Health and Safety (Display Screen Equipment) Regulations 1992, which require employers to carry out digital screen equipment assessments and states users' entitlement to an eyesight test
- The Gas Safety (Installation and Use) Regulations 1998, which require work on gas fittings to be carried out by someone on the Gas Safe Register
- The Regulatory Reform (Fire Safety) Order 2005, which requires employers to take general fire precautions to ensure the safety of their staff
- The Work at Height Regulations 2005, which requires employers to protect their staff from falls from height

The school follows national guidance published by Public Health England when responding to infection control issues.

3. Roles and responsibilities

3.1 The governing body

The governing body has ultimate responsibility for health and safety matters in the school, but will delegate day-to-day responsibility to, the proprietor.

The governing body has a duty to take reasonable steps to ensure that staff and pupils are not exposed to risks to their health and safety. This applies to activities on or off the school premises.

The governing body also has a duty to:

- Assess the risks to staff and others affected by school activities in order to identify and introduce the health and safety measures necessary to manage those risks
- Inform employees about risks and the measures in place to manage them
- Ensure that adequate health and safety training is provided

3.2 Head teacher

The head teacher is responsible for health and safety day-to-day. This involves:

- Implementing the health and safety policy
- Ensuring there is enough staff to safely supervise pupils
- Ensuring that the school building and premises are safe and regularly inspected
- Providing adequate training for school staff
- Reporting to the governing body on health and safety matters
- Ensuring appropriate evacuation procedures are in place and regular fire drills are held
- Ensuring that in their absence, health and safety responsibilities are delegated to another member of staff
- Ensuring all risk assessments are completed and reviewed
- Monitoring cleaning contracts, and ensuring cleaners are appropriately trained and have access to personal protective equipment, where necessary

In the headteacher's absence, the deputy headteacher and Senior Leadership Team take the above day-to-day health and safety responsibilities.

3.3 Health and safety lead

The nominated health and safety lead is

3.4 Staff

School staff have a duty to take care of pupils in the same way that a prudent parent would do so. Staff will:

- Take reasonable care of their own health and safety and that of others who may be affected by what they do at work
- Co-operate with the school on health and safety matters
- Work in accordance with training and instructions
- Inform the appropriate person of any work situation representing a serious and immediate danger so that remedial action can be taken
- Model safe and hygienic practice for pupils
- Understand emergency evacuation procedures and feel confident in implementing them

3.5 Pupils and parents

Pupils and parents are responsible for following the school's health and safety advice, on-site and off-site, and for reporting any health and safety incidents to a member of staff.

3.6 Contractors

Contractors will agree health and safety practices with the headteacher before starting work. Before work begins the contractor will provide evidence that they have completed an adequate risk assessment of all their planned work.

4. Site security

is responsible for the security of the school site in and out of school hours. They are responsible for visual inspections of the site, and for the intruder and fire alarm systems.

is a key holder and will respond to an emergency.

5. Fire

Emergency exits, assembly points and assembly point instructions are clearly identified by safety signs and notices. Fire risk assessment of the premises will be reviewed regularly.

Emergency evacuations are practised at least once a term.

The fire alarm is a loud buzzer/bell.

Fire alarm testing will take place once a term.

New staff will be trained in fire safety and all staff and pupils will be made aware of any new fire risks. In the event of a fire:

- The alarm will be raised immediately by whoever discovers the fire and emergency services contacted. Evacuation procedures will also begin immediately
- Fire extinguishers may be used by staff only, and only then if staff are trained in how to operate them and are confident they can use them without putting themselves or others at risk
- Staff and pupils will congregate at the assembly point. The assembly point is at the Parish entrance
- Form tutors/class teachers will take a register of pupils, which will then be checked against the attendance register of that day
- The Senior Leader will take a register of all staff
- Staff and pupils will remain outside the building until the emergency services say it is safe to re-enter

The school will have special arrangements in place for the evacuation of people with mobility needs and fire risk assessments will also pay particular attention to those with disabilities.

A fire safety checklist can be found in appendix 1.

6. COSHH

Schools are required to control hazardous substances, which can take many forms, including:

- Chemicals
- Products containing chemicals
- Fumes
- Dusts
- Vapours
- Mists
- Gases and asphyxiating gases
- Germs that cause diseases, such as leptospirosis or legionnaires disease

Control of substances hazardous to health (COSHH) risk assessments are completed by the H and S officer and Science lead teacher and circulated to all employees who work with hazardous substances. Staff will also be provided with protective equipment, where necessary.

Our staff use and store hazardous products in accordance with instructions on the product label. All hazardous products are kept in their original containers, with clear labelling and product information.

Hazardous products are kept locked in a store room or locked in the laboratory.

Any hazardous products are disposed of in accordance with specific disposal procedures.

Emergency procedures, including procedures for dealing with spillages, are displayed near where hazardous products are stored and in areas where they are routinely used.

6.1 Gas safety

- Installation, maintenance and repair of gas appliances and fittings will be carried out by a competent Gas Safe registered engineer
- Gas pipework, appliances and flues are regularly maintained
- All rooms with gas appliances are checked to ensure that they have adequate ventilation

6.2 Legionella

- A water risk assessment has been completed on 19/2/19 by Smart Water Testing Ltd. The H&S Lead is
 responsible for ensuring that the identified operational controls are conducted and recorded in the
 school's water log book
- This risk assessment will be reviewed every year and when significant changes have occurred to the water system and/or building footprint

6.3 Asbestos

- Staff are briefed on the hazards of asbestos, the location of any asbestos in the school and the action to take if they suspect they have disturbed it
- Arrangements are in place to ensure that contractors are made aware of any asbestos on the premises and that it is not disturbed by their work
- Contractors will be advised that if they discover material which they suspect could be asbestos, they will stop work immediately until the area is declared safe
- A record is kept of the location of asbestos that has been found on the school site
 - 7. Equipment
- All equipment and machinery is maintained in accordance with the manufacturer's instructions. In addition, maintenance schedules outline when extra checks should take place
- When new equipment is purchased, it is checked to ensure that it meets appropriate educational standards
- All equipment is stored in the appropriate storage containers and areas. All containers are labelled with the correct hazard sign and contents

7.1 Electrical equipment

- All staff are responsible for ensuring that they use and handle electrical equipment sensibly and safely
- Any pupil or volunteer who handles electrical appliances does so under the supervision of the member of staff who so directs them
- Any potential hazards will be reported to immediately
- Permanently installed electrical equipment is connected through a dedicated isolator switch and adequately earthed
- Only trained staff members can check plugs
- Where necessary a portable appliance test (PAT) will be carried out by a competent person
- All isolators switches are clearly marked to identify their machine
- Electrical apparatus and connections will not be touched by wet hands and will only be used in dry conditions
- Maintenance, repair, installation and disconnection work associated with permanently installed or portable electrical equipment is only carried out by a competent person

7.2 PE equipment

• Pupils are taught how to carry out and set up PE equipment safely and efficiently. Staff check that equipment is set up safely

8. Lone working

Lone working may include:

- Late working
- Home or site visits
- Weekend working
- Site manager duties
- Site cleaning duties
- Working in a single occupancy office

Potentially dangerous activities, such as those where there is a risk of falling from height, will not be undertaken when working alone. If there are any doubts about the task to be performed then the task will be postponed until other staff members are available.

If lone working is to be undertaken, a colleague, friend or family member will be informed about where the member of staff is and when they are likely to return.

The lone worker will ensure that they are medically fit to work alone.

9. Working at height

We will ensure that work is properly planned, supervised and carried out by competent people with the skills, knowledge and experience to do the work.

In addition:

- retains ladders for working at height
- Pupils are prohibited from using ladders
- Staff will wear appropriate footwear and clothing when using ladders
- Contractors are expected to provide their own ladders for working at height
- Before using a ladder, staff are expected to conduct a visual inspection to ensure its safety
- Access to high levels, such as roofs, is only permitted by trained persons

10. Manual handling

It is up to individuals to determine whether they are fit to lift or move equipment and furniture. If an individual feels that to lift an item could result in injury or exacerbate an existing condition, they will ask for assistance.

The school will ensure that proper mechanical aids and lifting equipment are available in school, and that staff are trained in how to use them safely.

Staff and pupils are expected to use the following basic manual handling procedure:

- Plan the lift and assess the load. If it is awkward or heavy, use a mechanical aid, such as a trolley, or ask another person to help
- Take the more direct route that is clear from obstruction and is as flat as possible
- Ensure the area where you plan to offload the load is clear
- When lifting, bend your knees and keep your back straight, feet apart and angled out. Ensure the load is held close to the body and firmly. Lift smoothly and slowly and avoid twisting, stretching and reaching where practicable

11. Off-site visits

When taking pupils off the school premises, we will ensure that:

- Risk assessments will be completed where off-site visits and activities require them
- All off-site visits are appropriately staffed

- Staff will take a school mobile phone, a portable first aid kit, information about the specific medical needs of pupils along with the parents' contact details
- There will always be at least one first aider on school trips and visits

12. Lettings

This policy applies to lettings. Those who hire any aspect of the school site or any facilities will be made aware of the content of the school's health and safety policy, and will have responsibility for complying with it.

13. Violence at work

We believe that staff should not be in any danger at work, and will not tolerate violent or threatening behaviour towards our staff.

All staff will report any incidents of aggression or violence (or near misses) directed to themselves to the headteacher immediately. This applies to violence from pupils, visitors or other staff.

14. Smoking

Smoking is not permitted anywhere on the school premises.

15. Occupational stress

We are committed to promoting high levels of health and wellbeing and recognise the importance of identifying and reducing workplace stressors through risk assessment.

Systems are in place within the school for responding to individual concerns and monitoring staff workloads.

16. Accident reporting

16.1 Accident record book

- An accident form will be completed as soon as possible after the accident occurs by the member of staff
 or first aider who deals with it. An accident form template can be found in appendix 2
- As much detail as possible will be supplied when reporting an accident
- Information about injuries will also be kept in the pupil's educational record
- Records held in the first aid and accident book will be retained by the school for a minimum of 3 years, in accordance with regulation 25 of the Social Security (Claims and Payments) Regulations 1979, and then securely disposed of.

16.2 Reporting to the Health and Safety Executive

The headteacher will keep a record of any accident which results in a reportable injury, disease, or dangerous occurrence as defined in the RIDDOR 2013 legislation (regulations 4, 5, 6 and 7).

The headteacher will report these to the Health and Safety Executives as soon as is reasonably practicable and in any event within 10 days of the incident.

Reportable injuries, diseases or dangerous occurrences include:

- Death
- Specified injuries. These are:
 - o Fractures, other than to fingers, thumbs and toes
 - Amputations
 - o Any injury likely to lead to permanent loss of sight or reduction in sight
 - o Any crush injury to the head or torso causing damage to the brain or internal organs
 - Serious burns (including scalding)
 - Any scalping requiring hospital treatment
 - Any loss of consciousness caused by head injury or asphyxia
 - Any other injury arising from working in an enclosed space which leads to hypothermia or heatinduced illness, or requires resuscitation or admittance to hospital for more than 24 hours

- Injuries where an employee is away from work or unable to perform their normal work duties for more than 7 consecutive days
- Where an accident leads to someone being taken to hospital
- Where something happens that does not result in an injury, but could have done
- Near-miss events that do not result in an injury, but could have done. Examples of near-miss events relevant to schools include, but are not limited to:
 - The collapse or failure of load-bearing parts of lifts and lifting equipment
 - o The accidental release of a biological agent likely to cause severe human illness
 - The accidental release or escape of any substance that may cause a serious injury or damage to health
 - o An electrical short circuit or overload causing a fire or explosion

Information on how to make a RIDDOR report is available here:

<u>How</u> to make a RIDDOR report, HSE

http://www.hse.gov.uk/riddor/report.htm

17. Training

Our staff are provided with health and safety training as part of their insets or induction.

Staff who work in high risk environments, such as in science labs or with woodwork equipment, or work with pupils with special educational needs (SEN), are given additional health and safety training.

18 Monitoring

This policy will be reviewed by the headteacher annually.

At every review, the policy will be approved by the governing body.

19. Links with other policies

This health and safety policy links to the following policies:

- First aid
- Risk assessment
- Supporting pupils with medical conditions
- Accessibility plan

Appendix 1. Fire safety checklist

Issue to check	Yes/No
Are fire regulations prominently displayed?	
Is fire-fighting equipment, including fire blankets, in place?	
Does fire-fighting equipment give details for the type of fire it should be used for?	
Are fire exits clearly labelled?	
Are fire doors fitted with self-closing mechanisms?	
Are flammable materials stored away from open flames?	
Do all staff and pupils understand what to do in the event of a fire?	
Can you easily hear the fire alarm from all areas?	



Location	Product	How much	Surface coating	Condition	Ease of access	Asbestos type	Comment
Roof	Asbestos cement	Whole roof	None	Fairly good	Difficult	White	
Store room	Pipes	6 x 3m	Metal case	Good	Medium	Unknown	